### **Federal Communications Commission**

# NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

#### Licensee/Permittee

NEXSTAR BROADCASTING, INC. 545 E. John Carpenter Freeway Suite 700

Irving, TX, 75062

Call Sign File Number KOIN 0000107804

Facility ID: 35380 NTSC TSID: 2422 Digital TSID: 2423

This License Modifies License No.

0000084971

#### **ATSC 3.0**

Grant Date	(A) (E)	xpiration Date
06/03/2020	02	2/01/2023
Hours of Operation		
Unlimited		
Station Location	Frequency (MHz)	Station Channel
City SALEM	584.0 - 590.0	33
State OR		
Facility Type		
Commercial		

Antenna Structure Registration Number 1207367	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 45-30-57.8 N	Non-Directional
Longitude 122-44-3.1 W	

Description of Antenna	
Make DIE	
Model TUM25-O4-16/64H-2-R-T	
Antenna Beam Tilt (Degrees Electrical) 0.75	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable
Major Lobe Directions N/A	Maximum Effective Radiated Power (Average) 750 kW 28.75 DBK
Height of Radiated Center Above Ground (Meters) 291.6	Height of Radiated Center Above Mean Sea Level (Meters) 614.4
Height of Radiated Center Above Average Terrain (Meters) 537	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

### Waivers/Special Conditions

**ATSC 1.0** 

Call SignFacility IDKOIN35380

Grant Date	Expira	ation Date
06/03/2020	02/01	/2023
Hours of Operation		
Unlimited		
Station Location	Frequency (MHz)	Station Channel
City PORTLAND	536.0 - 542.0	25
State OR		
Facility Type		1
Commercial		

Antenna Structure Registration Number 1207367	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type
Latitude 45-30-57.8 N	Non-Directional
Longitude 122-44-3.1 W	
Description of Antenna	
Make Dielectric	
Model TUM25-O4-16/64H-2-R-T	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
0.75	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
N/A	1000 kW
	30.00 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
291.2	Level (Meters)
	614.0
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
536.3	Ground (Meters)
	See the registration for this antenna structure.

## Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.